19. Brooks has notified Bell Atlantic well in advance of its plans to provide service to new, large customers and has expressed concerns that without the appropriate actions taken by Bell Atlantic there would be insufficient network capacity to support increased customer growth. Attached to this Complaint as Exhibits 3 and 4, respectively, are a letter from Robert Poulton to John Griffin dated November 10, 1997, and minutes of a meeting between Brooks and Bell Atlantic, dated April 30, 1997, which memorialize Brooks' concerns that Bell Atlantic ensure adequate capacity for anticipated customers. Bell Atlantic (then NYNEX) itself recognized the importance of its providing timely and sufficient interconnection trunking to Brooks. In a letter of May 14, 1997 to Brooks Vice President Rob Shanahan, Thomas M. Dreyer, NYNEX's Director of Local Carrier Sales, wrote:

Unforecasted growth for interconnection trunking in the local network is presenting a new set of challenges to NYNEX as well as your company. Very often these challenges result in service affecting issues impacting the level of service provided to the end users. We at NYNEX are designing a process improvement initiative to address this issue...

As set forth above, however, the "issue" has not been adequately "addressed" at all.

20. In response to network problems that Brooks was experiencing, Brooks requested that written procedures be established that outline the steps the

¹ The "growth" of Brooks' need "for interconnection trunking in the local network," as should be clear from paragraph 18, above, was <u>not</u> "unforcasted" by Brooks. Brooks provided timely and adequate growth forecasts to NYNEX in the form requested, *i.e.*, on a computer spreadsheet furnished to it by NYNEX on diskette.

companies would follow in order to trouble-shoot network problems. See, e.g., Exhibit 4 at paragraph 3; Letter with attachment from Robert Poulton to Bob Fox of Bell Atlantic, dated May 16, 1997, attached to this Complaint as Exhibit 5.

- 21. Brooks also has requested that the companies share access to their respective network data in order to monitor and evaluate traffic on each other's network to prevent blockage from happening in the future. See, e.g., Attachment 4 at paragraph 4; Letter to Bob Fox dated May 8, 1997, a true and accurate copy of which is attached to this Complaint as Exhibit 6.
- 22. Brooks has repeatedly asked Bell Atlantic to finalize a network grooming plan. Bell Atlantic has been reluctant to meet with Brooks and is reluctant to adopt a final network grooming plan. A properly designed network grooming plan is critical to developing an efficient network of networks and would provide standards to ensure that interconnection trunk groups provided by Bell Atlantic to Brooks experience a grade of service, availability and quality which is comparable to that achieved on interoffice trunks within Bell Atlantic's network and in accord with all relevant industry standards for quality, reliability and availability. Attached to this Complaint as Exhibits 7 and 8, respectively, are copies of a letter from Brooks to Bell Atlantic requesting a meeting to finalize network grooming and a Brooks agenda for the items that should be included in such a plan.

- 23. Brooks has requested that Bell Atlantic provide Brooks with alternate routing as a contingency in the event that trunks reach capacity. Bell Atlantic has not been willing to make such alternate routing arrangements for Brooks.
- 24. Brooks has placed numerous orders for additional outgoing trunks to handle increased traffic from Brooks customers to Bell Atlantic's customers. Under the Interconnection Agreement, Bell Atlantic is supposed to install corresponding incoming trunks to Brooks. However, since May of 1997, Bell Atlantic has not provided Brooks with a firm order commitment date (FOC) for installing new outgoing trunks and has been very slow to install incoming trunks to Brooks.
- 25. In response to Brooks' repeated request for additional trunks, Bell Atlantic initially stated that there were no available switch hooks to install at its Washington Street end-office that would permit new trunks to serve Brooks' switch. Subsequently, Bell Atlantic found hooks that would permit additional trunks to serve Brooks' switch. However, Bell Atlantic has still not provided sufficient trunking capacity to handle Brooks' actual and forecasted traffic.
- 26. On or about May 27, 1997, Brooks sent a letter to Bell Atlantic that described many of the network grievances that are described in this Complaint,

supported by documentation. A copy of that letter and supporting documentation was filed with the Commission.

- 27. Following the filing of that letter, Brooks met with Bell Atlantic in the hope that its service quality problems with Bell Atlantic could be worked out. In that meeting, Bell Atlantic agreed that it would regularly turn up a number of trunks on a monthly basis to account for the growth in traffic between the companies. Bell Atlantic also agreed to provide an engineering estimated completion date ("EECD") for facilities that are at capacity and that Brooks would be able to use EECDs for planning purposes. Finally, Bell Atlantic created an 800 number for network problems and agreed to provide a contact list and escalation list to trouble shoot inter-network service quality problems. See, meeting minutes for meeting between Bell Atlantic and Brooks, dated May 30, 1997, attached to this Complaint as Exhibit 9.
- 28. Notwithstanding Bell Atlantic's promises, Bell Atlantic has not regularly turned up trunks on a monthly basis since May 1997 and Brooks has never received an EECD. Brooks received a contact list, but Bell Atlantic has still not established effective standard operating procedures for dealing with network problems experienced by CLECs. Brooks called the 800 number for internetwork trouble reports but the Bell Atlantic person answering the call had little knowledge of networking. Brooks is treated in this respect as an end-user and not a peer local exchange carrier.

- 29. Unfortunately, the network blockage problems experienced by Brooks' customers have continued. In June of 1997, a serious routing problem in Bell Atlantic's tandem switch restricted the number of available trunks from Bell Atlantic to Brooks, resulting in network blockage for all Brooks' customers. Attached to this Complaint as **Exhibit 10** is a copy of a letter from Robert Poulton to John Griffin describing this problem. The trunking problems complained of above have continued to the present day.
- 30. Brooks has lost customers as a result of Bell Atlantic's poor serice in providing sufficient trunking to handle Brooks' traffic and its lack of commitment to solving network disruptions. Attached to this Complaint as Exhibit 11 are copies of letters relating to customer complaints and cancellations as a result of the network blockage caused by Bell Atlantic.
- 31. Bell Atlantic's failure to increase network capacity and/or otherwise configure its network to provide alternative routing for increased Brooks traffic (traffic that was reflected in Brooks' forecasts to Bell Atlantic); its failure to plan for and install additional trunks as requested by Brooks; its failure to provide Brooks with firm order commitments for such trunking orders; its failure to manage and upgrade its own network, its failure to cooperate with Brooks to resolve network disruptions, and its failure to work with Brooks to finalize a joint

grooming plan have resulted in severe constraints on Brooks' ability to serve its customers and has caused Brooks to lose customers.

32. Certain Brooks customers who have experienced difficulties calling out or receiving incoming calls have canceled service with Brooks and returned to Bell Atlantic only to find out that they will be charged installation fees. As a result of Bell Atlantic's failure to provide adequate trunks, Brooks customers, who have terminated Brooks' service and returned to Bell Atlantic, have asked Brooks to reimburse them for such fees; Brooks has acquiesced to those requests for reimbursement because it understands the customers' frustrations.

COUNTI

BELL ATLANTIC HAS BREACHED ITS OBLIGATIONS UNDER THE INTERCONNECTION AGREEMENT

- 33. Brooks repeats and realleges paragraphs 1 through 34 of this Complaint.
- 34. Bell Atlantic's failure to expand its trunking capacity in order to take into account Brooks' anticipated customer growth is a violation of Bell Atlantic's duty under the Interconnection Agreement to "install and maintain a reliable network" to "work cooperatively to apply sound network management controls to alleviate congestion," and its duties with respect to the "administration and maintenance of trunk groups. See, Interconnection Agreement at 4.41, 4.42, 8.1 and 8.2.

- 35. Bell Atlantic's failure to meet with Brooks to finalize a network grooming plan is a violation of Sections 8.1 and 8.2 of the Interconnection Agreement. Bell Atlantic's failure to provide network service quality reports is a violation of Section 8.2 of the Interconnection Agreement. Brooks believes that if such quality service reports were made available they would reveal that Bell Atlantic is not providing Brooks with a network grade of service that Bell Atlantic provides itself.
- 36. Bell Atlantic's failure to perform its duties under the Interconnection Agreement have caused Brooks to lose customers and pay installation fees charged by Bell Atlantic.

COUNT 2

BELL ATLANTIC'S SERVICE QUALITY PERFORMANCE TO BROOKS IS UNJUST, INSUFFICIENT, UNREASONABLE AND DISCRIMINATORY UNDER RHODE ISLAND LAW

- 37. Brooks repeats and realleges paragraphs 1 through 36 of this Complaint.
- 38. Section 39-4-10 of the Rhode Island General Laws vests Commission with jurisdiction over Bell Atlantic's provision of unreasonable and inadequate services to Brooks and provides as follows:

Orders as to unreasonable practices or inadequate services. – If, upon a hearing and investigation had under the provisions of this chapter, the division of public utilities and carriers shall find that any regulation, measurement, practice, act, or service or any public utility is unjust, unreasonable, insufficient, preferential, unjustly discriminatory, or otherwise in violation of any of the provisions of chapters 1 to 5, inclusive, of this title, or that any service of any such public utility is inadequate or that any service which can be reasonably demanded cannot be obtained, the division shall have power to substitute therefor such other regulations, measurements, practices, service, or acts, and to make such order respecting, and such changes in the regulations, measurements, practices, service, or acts, as shall be just and reasonable, and the power to order refunds as provide for in Section 39-3-13.1.

- 39. For reasons set forth above, Bell Atlantic's provision of interconnection trunks to Brooks is unjust, unreasonable, and insufficient.
- 40. Bell Atlantic's provision of interconnection trunks to Brooks is discriminatory. Bell Atlantic is required to provide Brooks with interconnection trunk groups that have a grade of service, availability and quality comparable to that achieved on inter-office trunks within its own network. Bell Atlantic has not provided the data to demonstrate whether this parity exists.²
- 41. Bell Atlantic's provision of interconnection trunks is inadequate and is a service which has been reasonably demanded but which cannot be obtained by Brooks.

² It should be noted that the FCC's conditions to the Bell Atlantic - NYNEX merger were designed to address issues of network parity by requiring Bell Atlantic to make performance reports relating to its network services. Bell Atlantic is not satisfying the merger conditions.

COUNT 3

BELL ATLANTIC'S FAILURE TO PROVIDE BROOKS WITH ADEQUATE TRUNKING FACILITIES, WHILE PROVIDING THEM TO ITSELF, VIOLATES FEDERAL LAW.

- 42. Brooks repeats and realleges paragraphs 1 through 41 of this Complaint.
- 43. Section 251(c)(2) of the Telecommunications Act of 1996 provides that the incumbent local exchange carrier has the following duty with respect to interconnection:
 - (2) INTERCONNECTION. The duty to provide for the facilities and equipment of any requesting telecommunications carrier, interconnection with the local exchange carrier's network...
 - (D) on rates, terms, and conditions that are just, reasonable and <u>non-discriminatory</u>, in accordance with the terms and conditions of the agreement and the requirements of this section and section 252.

(emphasis supplied)

- 44. Under the FCC's Final Rules, 47 CFR Sec. 51.305, Interconnection,
 - (a) An incumbent LEC shall provide, for the facilities and equipment of any requesting telecommunications carrier, interconnection with the incumbent LEC's network...
 - (3) that is at a level of quality that is equal to that which the incumbent LEC provides itself, a subsidiary, an affiliate, or any other party, except as provided in paragraph (4) of this section. At a minimum, this requires an incumbent LEC to design interconnection facilities to meet the same technical criteria and service standards that are used within the incumbent LEC's network. This obligation is not limited to a consideration of service quality as perceived by end users, and includes, but is not limited to, service quality as perceived by the requesting telecommunications carrier:

- (4) that, if so requested by a telecommunications carrier and to the extent technically feasible, is superior in quality to that provided by the incumbent LEC to itself or to any subsidiary, affiliate, or any other party to which the incumbent LEC provides interconnection. Nothing in this section prohibits an incumbent LEC from providing interconnection that is lesser in quality at the sole request of the requesting telecommunications carrier; and,
- (5) on terms and conditions that are just, reasonable and nondiscriminatory in accordance with the terms and conditions of any agreement, the requirements of sections 251 and 252 of the Act, and the Commission's rules including, but not limited to, offering such terms and conditions equally to all requesting telecommunications carriers, and offering such terms and conditions that are no less favorable than the terms and conditions the incumbent LEC provides such interconnection to itself. This includes, but is not limited to, the time within which the incumbent LEC provides such interconnection.
- 45. Bell Atlantic's failure and refusal to provide adequate and timely trunking to Brooks violates the above referenced statute and Regulation.

V. RELIEF REQUESTED

WHEREFORE, Brooks respectfully requests that the Commission require Bell Atlantic to file a prompt response to this complaint; that it speedily conduct a hearing thereon; and that after such hearing it order Bell Atlantic to:

- 1. Immediately implement a network solution;
- 2. Immediately install whatever hooks are available;
- 3. Implement other network solutions, including translation and routing changes to alternative carriers at no expense to Brooks;
- 4. Provide Brooks with real time access to Bell Atlantic's network statistical data so that the parties can work and plan together to avoid network congestion and address network disruptions in the future;

- 5. Cease and desist from charging installation fees to customers who have left Brooks as a result of insufficient trunking;
- 6. Provide Brooks with refunds for fees paid by Brooks in accordance with RI GL, 39-3-13.1;
- 7. Reimburse Brooks for payments made on behalf of customers who switched back to Bell Atlantic;
- 8. Work with Brooks to finalize and implement a network grooming plan by a date certain;
- 9. Provide monthly reports to the Commission regarding the above requirements; and
- 10. Such other relief to which the Commission finds Brooks is entitled.

Respectfully Submitted, Brooks Fiber Communications of Rhode Island By its Counsel;

Scott Sawyer, Bsq. Director of Regulatory Affairs
Brooks Fiber Communications
of Rhode Island, Inc.
One Providence Washington Plaza
Providence, RI 02903
Tel. (401) 854-1150
FAX (401) 854-1177

Robert Glass, Esq. 11 Vincent St. Cambridge, MA 02140 Tel. & FAX (617) 491-7350

Dated: December 4, 1997



SCHEDULE 8.2 NYNEX Intervals for Installation

Service Order Standard Intervals

	Number of DS1Systems	Standard Interval (Business Days)
Establishment of New Trunk Groups	1-10 over 10	60 negotiated
Additions to Existent Trunk Groups	1-4 over 4	30 negotiated

Exhibit 2

- a. Forecast provided in August 1996.

- b. Forecast provided in May 1997;
 c. Forecast provided in October 1997;
 d. Forecast provided in November 1997.

Brooks Fib	er Properties																			
				Clec Fore	cast	for the	perio	OQ) bo	YY))	1	۰			State					
CLLI	Serving Tandem CLLI	of u	se		of	use	of c	IS e	Tfc	Clec	of t	se	IOF DS1 Tdm EO	IOF DS3 Tdm EO	IOF DS1 POP TDM EO	NYNEX Cages Egpt DS3	Facs Cbl NYNEX Cages	Number Port Qty of Port #s	Loop Plant QT SVGALS	
			•					Ū		•						- ••				
																		1278	10)6:
													1							
		XX					XX		XX				1							
MF 2W	PRVDRI003GT		500	6)	500		500		60		500	1							
SS7 2W	PRVDRI003GT		2680	60)	2680		2680		60		2680	4							
SS7 1W I	PRVDRI003GT		0	()	12900		12900		0		0	10)						
SS7 1W 0	PRVDRI003GT		12900	100)	0		0		100		12900	10	1	İ	12 inst				
SS7	NWHNCT0304W	XX		XX	XX		XX		XX		XX		1							
SS7	WTRBCT0002W	XX		XX	XX		XX		XX		XX		1							
1W I	HWHNCT02B1t		0	()	1000		1000		0		0	2							
1W0	HWHNCT02B1		1000	100)			0		100		1000	2	. 1	İ	12 inst				
	911 911 MF 2W SS7 2W SS7 1W I SS7 1W O SS7 SS7	Tandem CLLI CLLI PRVDRI003GT 911 PRVDRI003GT 911 PRVDRI003GT 911 PRVDRI003GT MF 2W PRVDRI003GT SS7 2W PRVDRI003GT SS7 1W I PRVDRI003GT SS7 1W O PRVDRI003GT SS7 NWHNCT0304W SS7 WTRBCT0002W 1W I HWHNCT02B1t	Serving Min Tandem of u CLLI CLLI EO PRVDRI003GT 911 PRVDRI003GT XX 911 PRVDRI003GT XX MF 2W PRVDRI003GT XX MF 2W PRVDRI003GT SS7 2W PRVDRI003GT SS7 1W I PRVDRI003GT SS7 1W O PRVDRI003GT SS7 NWHNCT0304W XX SS7 WTRBCT0002W XX 1W I HWHNCT02B11	Serving Minutes Tandem of use CLLI CLLI EO Orig PRVDRI003GT 911 PRVDRI003GT XX 911 PRVDRI003GT XX MF 2W PRVDRI003GT 500 SS7 2W PRVDRI003GT 2680 SS7 1W I PRVDRI003GT 0 SS7 1W O PRVDRI003GT 12900 SS7 NWHNCT0304W XX SS7 WTRBCT0002W XX 1W I HWHNCT02B1t 0	Serving	Clec Forecast Clec Forecast	Serving	Clec Forecast for the period Serving Minutes Percent Minutes Minutes Of use O	Clec Forecast for the period (QC Clec Forecast	Serving	Serving	Serving	Serving	Serving	Clec Forecast for the period (QQYY)	Serving	Serving	Clec Forecast for the period (QQYY) 10 State	Clec Forecast for the period (QQYY)	Serving

Page 1

															Lala				Page	of	
Company	Brooks	Fibe	r Properties																		
						Clec Fo	recast	for the p	period	(00	YY)		to			State					
		5	Serving	Minu	tes	Percent	Mi	nutes	Minu	ites	Percent	М	inutes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
		1	Tandem	of us	e	Tfc Cle	ec of	use	of us	8	Tfc Cle	c of	use	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Mire Ctr.	CLLI	(CLLI	E0 0)rig	to NYNI	EX EC) Term	TOM	Orig	to Nyne	x To	dm Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDSO		F	PRVDRI003GT		•															51120	42600
	Ş	911 F	PRVDRI003GT	XX		1	00 XX	(XX		XX	X.	X	•	1						
	9	911 F	PRVDRI003GT	XX		1	OO XX	(XX		XX	X.	X	•	1						
	MF 2W	F	PRVDRI003GT		7390		60	7390		7390		60	7390	- 10	0						
	SS7 2W	V F	PRVDRI003GT		9670		60	9670		9670		60	9670	10	0						
	SS7 1W	VI F	PRVDRIDDSGT		٥		0	80740		80740		0	0	63	3						
	SS7 1W	VOF	PRVDRI003GT	8	30740	1	00	0		0	1	00	80740	6:	3	6		24 inst			
ALT PROV	SS7	}	WHNCT0304	XX		XX ·	XX	(XX		XX	X.	X	•	1						
ALT PROV	SS7	١	NTRBCT0002W	XX		XX	XX	(XX		XX	X.	X		1						
ALT PROV	1W I	ŀ	WHNCT02B11		0		0	7670		7670		0	0	7	7						
ALT PROV	1W0	ŀ	HWHNCT02B11		7670	1	00	0		۵	1	00	7670	7	7	1		24 inst			

																	Lata				Page	of	
Company	Brook	s Fib	er Properties																				
						Clec	Forec	ast fo	or the p	perio	d (QQ	YY)		t	io			State		•			
			Serving	Min	utes	Perce		Minu		Min		Perc			nutes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbi	Number	Loop
			Tandem	of u		Tfc				of u			Clec			Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Mire Ctr.	CLLI		CLLI	EO	Orig	to NY	NEX	EO 1	erm	TDN	4 Orig	to N	ynex	Tdr	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	_
PRVDRICEDS	0		PRVDRI003GT														_					3834	3195
		-	PRVDRI003GT				100			XX		XX		XX		•	1						
		911	PRVDRI003GT	XX			100	XX		XX		XX		XX		•	1						
	MF 2\	Ν	PRVDRI003GT		550		60		550		550		60		550		2						
	SS7 2	W:	PRVDRI003GT		3070		60		3070		3070		60		3070		5						
	SS7 1	W1	PRVDRI003GT		0		0	:	25830		25830		0		0	20	ס		•				
	SS7 1	WO	PRVDRI003GT		25830		100		0		0		- 100		25830	20	0 :	2		24 inst			
ALT PROV	SS7		NWHNCT0304	XX		XX		XX		XX		XX		XX		•	1						
ALT PROV	SS7		WTRBCT0002	XX		XX		XX		XX		XX		XX		•	i						
ALT PROV	1W I		HWHNCT02B1t		0		0		1500		1500		0		0		2						
ALT PROV	1W0		HWHNCT02B1t		1500		100		0		0		100		1500		2	1		24 ist			

																Lata				Page	of	
Company	Brook	s Fit	er Properties																			
						Clec Fore	cast	for the	perio	od (QC	1YY) _		to	o			State					
			Serving	Min	utes	Percent	Mi	nutes	Min	utes	Perce	ent	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of u	se	Tfc Cled	of	use	of t	JS8	Tfc C	Clec	of u	se	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	EO	Orig	to NYNE	K EC) Term	TO	M Orig	to Ny	nex	Tdn	n Term			TOM EO	TDM EO	Eqpt DS3	Cages	of Port #5	SVGALS
PRVDRICEDS	0		PRVDRI003GT																	-	7668	6390
		911	PRVDRI003GT	XX		10	0 XX	(XX		XX		XX		1							
		911	PRVDRI003GT	XX		10	0 XX	(XX		XX		XX		1							
	MF 21	W	PRVDRI003GT		845	6	0	845	i	845		60		845	3	1						
	SS7 2	2W	PRVDRI003GT		3450	6	0	3450	}	3450		60		3450	5	i						
	SS7 1	WI	PRVDRI003GT		0	(0	28330		28330		0		0	22	!						
	SS7 1	W	PRVDRI003GT		28330	10	0	0		0		100		28330	22	! :	2		24 inst			
ALT Prov	SS7		NWHNCT0304W	/XX		XX	XX	(XX		XX		XX		1							
ALT Prov	SS7		WTRBCT0002W	XX		XX	XX	:	XX		XX		XX		1							
ALT Prov	1W I		HWHNCT02B1t		0		0	2000		2000		0		0	2							
ALT Prov	1W0		HWHNCT02B1t		2000	100	0	0		0		100		2000	2	. 1	1		24 inst	-		

															Lata				Page	of	
Company	Broo!	ks Fit	er Properties																		
						Clec Fore	casi	for the	period	(QQ	YY)	!	٥			State					
			Serving	Minu	tes	Percent	Mir	nutes	Minute	s	Percent	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of us	e	Tfc Clec	of t	use	of use		Tfc Clec	of	se	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	E0 0	Orig	to NYNE	X EQ) Term	TDM (Drig	to Nynex	Tar	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS	0		PRVDRI003GT																	12780	10650
		911	PRVDRI003GT	XX		10	0 XX		XX		XX	XX		1							
		911	PRVDRI003GT	XX		10	O XX		XX		XX	XX		1							
	MF 2	W	PRVDRI003GT		1200	6	0	1200	1	200	6)	1200	2	?						
	SS7	2W	PRVDRI003GT		3840	6	0	3840		60	6	2	3840	6	6						
	SS7	1WI	PRVDRI003GT		0	(0	30665	30	665	(3	0	24	\$						
	SS7	1W 0	PRVDRI003GT	3	30665	10	0	0		0	10)	30665	24		2		24 inst			
ALT PROV	SS7		NWHNCT0304	XX		XX	XX		XX		XX	XX		1	}						
ALT PROV	SS7		WTRBCT0002	XX		XX	XX		XX		XX	XX		1	•						
ALT PROV	1W I		HWHNCT02B11		O	•	0	1200	1	200	(כ	0	3	}						
ALT PROV	1W0		HWHNCT02B1t		1200	10	0	0		0	100)	1200	3	,	1		24 inst			

																Lata				Page	oi	
Company	Brook	s Fib	er Properties																			
						Clec Fore	cast	t for the	perio	od (QC	1YY) _		t	۰			State					
			Serving	Min	utes	Percent	Mi	nutes	Min	utes	Perce	nt	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbi	Number	Loop
			Tandem	of u	se	Tfc Cled	of	use	of u	ise	Tfc C	lec	of u	se	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	EO	Orig	to NYNE	K EC	Term	TO	M Orig	to Nyr	ex	Tdn	n Term			TDM EO	TDM EQ	Egpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS	0		PRVDRI003GT																	•	17380	14484
		911	PRVDRI003GT	XX		10	0 XX	(XX		XX		XX			1						
			PRVDRI003GT			10	XX 0	(XX		XX		XX		,	1						
	MF 2V	V	PRVDRI003GT		1560	6	0	1560)	1560		60		1560	;	3						
	SS7 2	W	PRVDRI003GT		4230	6	0 .	4230)	4230		60		4230	;	3						
	SS7 1	Wi	PRVDRI003GT		0		0	33600)	33600		0		0	2	7						
	SS7 1	wo	PRVDRI003GT		33600	10	0	0	1	0		100		33600	2	7	3		24 inst			
ALT PROV	SS7		NWHNCT0304			XX	XX	(XX		XX		XX			١			•			
ALT PROV	SS7		WTRBCT0002			XX	XX	Č	XX		XX		XX			1						
ALT PROV	1W1		HWHNCT02B1t		0		0	2605		2605		0		0		3						
ALT PROV	1W0	٠	HWHNCT02B11		2605	10	-	0		0		100		2605		3	1		24 inst			

															Lata				Page	oi	
Company	Brook	s Fib	er Properties																		
						Clec For	ecast	for the	perio	d (QC	1YY)		_ to			State					
			Serving	Min	utes	Percent	Mir	nutes	Mini	utes	Percent	N	Minutes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of u	se	Tfc Cle	c of	use	of u	\$8	Tfc Cled	. 0	fuse	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	EO	Orig	to NYNE	X EC) Term	TON	orig	to Nyne:	c T	dm Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS	30		PRVDRI003GT																•	21981	18318
		911	PRVDRI003GT	XX		10	0 XX	3	XX		XX	×	X		1						
		911	PRVDRI003GT	XX		10	0 XX	:	XX		XX	X	X	•	١						
	MF 2V	Ν	PRVDRI003GT		1920	€	0	1920		1920		50	1920	;	3						
	SS7 2	W.	PRVDRI003GT		4610	€	0	4610	i	4610		60	4610		7						
	SS7 1		PRVDRI003GT		0		0	36800		36800		0	0	29	9						
			PRVDRI003GT		36800	10	0	0		. 0	10	00	36800			3		24 inst			
ALT PROV	SS7	•		XX		XX	XX	_	XX		XX		X	-	1	_					
ALT PROV	SS7		WTRBCT0002W	/ XX		XX	XX		XX		XX		X								
ALT PROV	1W I		HWHNCT02B1t		0		0	2800		2800		0	0	3	3						
ALT PROV	1W0		HWHNCT02B1t		2800	10	0	0		0		00	2800		3	1		24 inst			

																Lata				Page	of	
Company	Brook	(s Fit	per Properties																			
						Clec Fore	cast	for the	perio	od (QC	1YY) _		t	0			State					
			Serving	Min	utes	Percent	Mir	nutes	Min	utes	Perce	กt	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of u	se	Tfc Clec	ofu	Jse	of u	ıse	Tfc C	lec	of u	se	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QT
Wire Ctr.	CLLI		CLLI	EO	Orig	to NYNEX	K EO	Term	TD	M Orig	to Nyr	nex	Tdn	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS	0		PRVDRI003GT																		24976	2081
		911	PRVDRI003GT	XX		10	0 XX		XX		XX		XX		1	İ						
		911	PRVDRI003GT	XX		100	0 XX		XX		XX		XX		1	1						
	MF 21	W	PRVDRI003GT		2310	6	0.	2310)	2310		60		2310	4	l .						
	SS7 2	2W	PRVDRI003GT		5000	6	0	5000)	5000		60		5000	7	,						
	SS7	IWI	PRVDRI003GT		0		0	40000)	40000		0		0	32	?						
	SS7 1	IW C	PRVDRI003GT		40000	10	0	0)	0		100		40000	32	? ;	3		24 inst			
ALT PROV	SS7		NWHNCT0304	XX		XX	XX		XX		XX		XX		1							
ALT PROV	SS7		WTRBCT0002	XX		XX	XX		XX		XX		XX		1							
ALT PROV	1W I		HWHNCT02B1t		0	(0	3010)	3010		0		0	3	}						
ALT PROV	1W0		HWHNCT02B1I		3010	100	0	0)	0		100		3010	3	,	l		24 inst			

																Lala				Page	of	
Company	Brook	s Fit	er Properties																			·
						Clec For	ecast	for the	perio	od (QC	YY)		t	۰			State					
			Serving	Min	utes	Percent	Mi	nutes	Min	utes	Perc	ent	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of u	se	Tfc Clea	of.	use	of u	ise	Tfc (Ciec	of u	se	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	EO	Orig	to NYNE	X EC	Term	TDI	girO M	to Ny	nex	Tơn	n Term			TDM EO	TOM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS)		PRVDRI003GT																		28116	23430
		911	PRVDRI003GT	XX		10	0 XX	(XX		XX		XX		1							
		911	PRVDRI003GT	XX		10	o xx	(XX		XX		XX		1							
	MF 2V	N	PRVDRI003GT		2680	6	0	2680	ı	2680		60		2680	4	•						
	SS7 2	W	PRVDRI003GT		5400	6	0	5400	1	5400		60		5400	8	i						
	SS7 1	WI	PRVDRI003GT		0		0	44000		44000		0		0	35	,						
	SS7 1	wo	PRVDRI003GT		44000	10	0	0	1	0		100		44000	35	;	3		24 inst			
ALT PROV	SS7		NWHNCT0304	XX		XX	XX	(XX		XX		XX		1							
ALT PROV	SS7		WTRBCT0002	XX		XX	XX	(XX		XX		XX	•	1							
ALT PROV	1W1		HWHNCT02B1t		0		0	3215		3215		0		0	3	ı						
ALT PROV	1W0		HWHNCT02B11		3215	10	0	0		0		100		3215	3	ı	1		24 inst			

																Lata	_ 			Page	of	
Company	Brooks	Fiber Properties													•							
					Cled	Fore	cast f	for the	peri	od (QC	YY)		1	10			State					
		Serving	N	linutes	Perc	ent	Min	utes	Mir	utes	Per	cent	Mir	nutes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbi	Number	Loop
		Tandem	0	l use	Tfc	Clec	of u	se	of t	Jse	Tfc	Clec	of t	ıse	Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr CLLI		CLLI	Ε	O Orig	to N	YNEX	EO	Term	TD	M Orig	to N	lynex	Tdr	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS	0	PRVDRI0030	T																		31950	26625
	9	11 PRVDRI0030	T X	X		100	XX		XX		XX		XX		1	ı						
	9	11 PRVDRI0030	ST X	X		100	XX		XX		XX		XX		1	١						
	MF 2W	PRVDRI0030	ST.	3070		60		3070	1	3070		60		3070		5						
	SS7 2W	PRVDRI0030	ΣT	5800		60	•	5860	ı	5860		60	1	5860		3						
	SS7 1W	I PRVDRI0030	T	0		0		48000		48000		0		0	38	3						
	SS7 1W	O PRVDRI0030	T	48000		100		0		0		100		48000	38	3 4	4		24 inst			
ALT PROV	SS7	NWHNCT030	4 X	X	XX		XX		XX		XX		ХX		1	١						
ALT PROV	SS7	WTRBCT000	2 X	X	XX		XX		XX		XX		XX		1	l						
ALT PROV	1W I	HWHNCT02E	31t	0		0		3430		3430		0		0	4	ļ						
ALT PROV	1W0	HWHNCT028	31t	3430		100		C		0		100		3430	4	,	1		24 inst			

																	Lata				Page	01	**************
Company	Brook	s Fit	er Properties																				
						Cle	c Fore	cast	for the	perio	od (QQ	YY)		1	۰			State					
			Serving	Mit	nutes	Per	cent	Min	utes	Min	utes	Pero	ent	Min	utes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
			Tandem	of t	use	Tfc	Clec	of u	ıse	of	ise	Tic	Clec	of u	se	Tdm EQ	Tam EO	POP	POP	Cages	NYNEX	Port Qty	Plant QTY
Wire Ctr.	CLLI		CLLI	ΕC	Orig	10 1	IYNEX	EΟ	Term	TD	M Orig	to N	ynex	Ton	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	SVGALS
PRVDRICEDS)		PRVDRI003GT																			35784	29820
		911	PRVDRI003GT	XX	:		100	XX		XX		XX		XX		•	}						
		911	PRVDRI003GT	XX	:		100	XX		XX		XX		XX		1	I						
	MF 21	N	PRVDRI003GT		3455		60	ŧ	3450		3450		60		3450		5						
	SS7 2	W	PRVDRI003GT		6200		60	•	6200		6200		60		6200	9)						
	SS7 1	WI	PRVDRI003GT		0		٥	1	50400		50400		0		0	4()						
	SS7 1	wo	PRVDRI003GT		50400		100	!	50400		50400		100		50400	40	}	4		24 inst			
ALT PROV	SS7		NWHNCT0304	XX		XX		XX		XX		XX		XX		1	1						
ALT PROV	SS7		WTRBCT0002	XX	,	XX		XX		XX		XX		XX		1							
ALT PROV	1W1		HWHNCT02B11		0		0		3640		3640		0		0	4	,						
ALT PROV	100		HWHNCT0281t		3640		100		0		0		100		3640	4		l		24 inst			

										•							Lata				Page	of	
Company	Brooks	Fibe	er Properties																				
						Clec Forecast for the period (Q)YY) to						State					
		5	Serving	Min	nutes	Perc	ent	Minu	utes	Min	utes	Perce	ent	Min	nutes	IOF DS1	IOF DS3	IOF DS1	IOF DS3	NYNEX	Facs Cbl	Number	Loop
		7	Tandem	of u			Clec			of u		Tfc (Tdm EO	Tdm EO	POP	POP	Cages	NYNEX	Port Qty	Plant QT
Wire Ctr.	CLLI		CLLI	ΕO	Orig	to N	YNEX	EO	Term	TO	M Orig	to Ny	nex	Tdr	n Term			TDM EO	TDM EO	Eqpt DS3	Cages	of Port #s	
PRVDRICEDS	0	F	PRVDRI003GT																			38340	31950
	9	111 F	PRVDRI003GT	XX			100	XX		XX		XX		XX			1						
	9	111 1	PRVDRI003GT	XX			100	XX		XX		XX		XX			1						
	MF 2W	F	PRVDRI003GT		3840		60		3840		3840		60		3840	(6						
	SS7 2W	/ 1	PRVDRI003GT		6600		60		6600		6600		60		6600		9						
	SS7 1W	/	PRVDRI003GT		0		0		52800		52800		0		0	4	2						
	SS7 1W	10 F	PRVDRI003GT		52800		100		0		0		100		52800	4	2 4	4		24 inst			
ALT PROV	SS7	1	NWHNCT0304	XX		XX		XX		XX		XX		XX			1						
ALT PROV	SS7	١	WTRBCT0002	XX		XX		XX		XX		XX		XX			1						
ALT PROV	1W I	ŀ	HWHNCT02B1t		0		0		3950		3950		0		0		4						
ALT PROV	1W0	ł	HWHNCT02B1t		3950		100		0		0		100		3950		4 '	1		24 inst			